

# Mathematics 135-004 Career Algebra Fall, 2016

Instructor: Cathy Frost Lansdowne Office: Ewing 250 Ph#:250-370-3404

E-mail: frost@camosun.bc.ca

**Websites:** http://online.camosun.ca for all course materials and grades

http://pearsonmylabandmastering.com for online assignments

#### Timetable:

Time	Monday	Tuesday	Wed	Thursday	Friday
11:30am- 1:20pm	Math 137-002 E346	Math 137-002 E346	Math 137-002 E346	Math 137-002 E346	
1:30-2:30pm		Office Hour		Office Hour	
5:00-5:50pm	Office Hour		Office Hour		
6:00-7:50pm	Math 135-003 E346	5:30-7:20 Math 135-004	Math 135-003 E346	5:30-7:20 Math 135-004	
Additional Office Hours by Appointment					

#### **Important Dates:**

Sep 6	First Day of Classes
Sep 20	Fee Deadline
Oct 10	Thanksgiving
Nov 8	Withdrawal Deadline
Nov 11	Remembrance Day
Dec 10	Last day of classes for Fall term

Dec 12-17, 19,20 Final Exam Period

Dec 12-17, 19,20 Tillal Exami

# 2. Intended Learning Outcomes

(3 credits) This course may be used for entry into business programs, the criminal justice program, elementary education, and elementary statistics. It is also a good choice for students who want to refresh their skills before tackling a higher level mathematics course. Topics include a brief review of fractions, decimals, percentages and signed numbers; solving linear equations and inequalities in one variable; graphing linear equations and inequalities in two variables; function notation; systems of linear equations; integer and rational exponents; and fundamental polynomial operations. Source: Camosun College calendar <a href="http://camosun.ca/learn/calendar/current/web/math.html">http://camosun.ca/learn/calendar/current/web/math.html</a>

#### 3. Exit Grade

A grade of C+ (65%) or better is needed for Business Programs at Interurban, Math 112, 113 or 109. A grade of C or better is needed for Math 116 or 137. Note that Math 135 cannot be used by BBA students to satisfy the UT math requirement although it can satisfy pre-requisites.

### 4. Required Materials

- a) Career Algebra, Tobey, Slater, Blair, Crawford, 1st Custom Edition, Pearson, 2013.
- **b)** The only calculators allowed on tests and the final exam are the Sharp EL-531 scientific calculator or the Texas Instrument BA II Plus. <u>Calculators will not be allowed on the first test nor part of the final exam.</u>

### 5. Recommended Materials or Services to Assist Students to Succeed Throughout the Course

**Math Labs:**) Tec142 (INT) and Ewing 342 & 224 (LANS): These drop-in centres are available for you to work on math homework and to seek free help from the tutor on staff. See the hours posted on the math lab doors or go to <a href="http://camosun.ca/learn/programs/math/labs.html">http://camosun.ca/learn/programs/math/labs.html</a>.

**Study Tips**: It is recommended that approximately 3-6 hours per week be spent studying for this course outside of class time. Find a study buddy to discuss math problems and use the math labs.

Academic Progress: The College has an academic progress policy geared mainly toward "at risk" students, the stated intention for

which is to improve a student's likelihood of success. To view the policy, see the webpage http://camosun.ca/about/policies/education-academic/e-1-programming-&-instruction/e-1.1.pdf

6. Basis of Student Assessment and Grading

**Assignments:** There are 4 assignments. A handout will be provided at least a week before the due date. Full solutions are

required. Assignments are due **by 8:00pm** on the designated day (see pacing schedule) and can be handed in in class or in my office. Assignment keys will be posted on the website. Late assignments will NOT be

accepted. There are no dropped assignments.

**Tests:** There are 4 tests. The dates and topics are on the pacing schedule. No calculators are allowed for Test 1. If

you miss a test for any reason a zero will be assigned unless you make alternate arrangements with your

instructor before the test. There are no dropped tests.

**Final Exam:** The final exam is worth 50% of your mark and is based on the entire course. Do not make holiday plans until

you know the time of the exam as this is not negotiable.

**Grade Calculation:** The final grade will be calculated according to the following breakdown:

Assignments 20%
Tests: 30%
Comprehensive Final Exam (with no calculator section) 50%

**Grade Scale:** 

Į	0-49	50-59	60-64	65-69	70-72	73-76	77-79	80-84	85-89	90-100
	$\mathbf{F}$	D	C	C+	<b>B</b> –	В	$\mathbf{B}$ +	<b>A</b> –	A	$\mathbf{A}$ +

For information on Camosun College's grading policy, see the webpage

http://camosun.ca/about/policies/education-academic/e-1-programming-&-instruction/e-1.5.pdf

**Academic Integrity:** The Department of Mathematics and Statistics has prepared a handout called *Student Guidelines for Academic Integrity*:

*Integrity* to help you interpret college policies involving student conduct, academic dishonesty, plagiarism, etc. It is your responsibility to become familiar with the contents of the document and the college policies it

references.

# 7. Course Content, Recommended Homework, and Schedule \* Topic is not in the text but is covered in class and by a handout

Section	* Topic is not in the text but is covered in class and by a	Recommended Homework	Textbook page
Section		( Solutions in back of text)	1 extbook page
	Review Chapter of Arithmetic Skills		
R.1	Simplify Fractions	11,17,19,33,41,45,47,57	8
R.2	Add And Subtract Fractions	3,15,19,25,37,43,53,55,73,75	17
R.3	Multiply And Divide Fractions	3,13,15,17,19,21,27,35,37,51,57	26
R.4	Decimals	5,17,23,31,35,45,51,53,75	37
R.5	Percent , Rounding & Estimating	5,9,15,17,27,33,35,41,43,51,61	46
R.6	Problem Solving	1,3,5,13,15	52
Test 1		Chapter Organizer, Review Test	56-61
	Chapter 1 Real Numbers and Variables		
1.1	Adding Real Numbers	1,3,7,11,21,25,29,41,67,73	79
1.2	Subtracting Real Numbers	3,15,19,23,45,57,63	85
1.3	Multiply & Divide Real Numbers	3,15,19,27,35,39,47	94
1.4	Exponents	5,13,15,23,25,29,39,43	100
1.5	Order Of Operations	5,9,11,15,21,25,29	104
1.6	Distributive Property	7,9,15,17,21,23,25,31,41	110
1.7	Combining Like Terms	5,11,23,27,33,35,43	115
1.8	Substitution	7,13,17,25,33,39,43,47,55	121
1.9	Grouping	1,7,9,11,13,17,25	126
		Chapter Organizer, Review	129-133
	Chapter 2 Equations and Inequalities		
2.1	Addition Principle	15,21,27,29,39,43	147
2.2	Multiplication Principle	3,5,9,17,31,39,45,49	153
2.3	Addition & Multiplication Principle Together	3,7,11,17,23,27,29,37,41,47	159
2.4	Equations With Fractions	1,3,9,11,15,17,21,25,31,33,41,43,45	166
2.5	Formulas	3,5,7,9,11,13,15,23,25,31,33,39,43	173
2.6	Inequalities and Compound Inequalities*	7,23,25,27,33,35,37,47,51,53,57,59, Handout	184
Test 2		Chapter Organizer, Review	189-193
	Chapter 3 Solving Applied Problems		
3.1	Translating English To Algebraic Expressions	3,9,17,21,25,27,29	207
3.2	Word Problems	5,9,11,15,19,25,31	215
3.3	Word Problems Comparisons	1,5,9,11,15	221
3.4	Word Problems: Money & %	1,3,7,9,11,13,15,19,25	232
3.5	Word Problems: Geometry	7,9,13,15,23,29	241
3.6	Word Problems: Inequalities	3,5,7,15,17,21,23	248
		Chapter Organizer, Review	252-258
	Chapter 4 Exponents and Variables		
4.1	Rules Of Exponents	5,7,11,17,19,23,25,31,39,41,49,53,61,65,69,73,77,81,83	277
4.2	Negative Exponents & Scientific Notation	1,3,5,7,9,11,13,15,17,19,25,29,35,37,39,43,47,49,61	285
	Rational Exponents*	Handout	
4.3	Fundamental Polynomial Operations	5,7,11,13,19,21,27,31,33	291
4.4	Multiply Polynomials	1,3,5,7,9,25,29,33,37,41,45,49,51	298
4.5	Multiply Polynomials: Special Cases	3,5,9,13,17,23,31,37,41,43	304
4.6	Dividing Polynomials	1,5,9,11,17,19,23	310
Test 3		Chapter Organizer, Review	313-317
	Chapter 5 Graphing & Functions		
5.1	Rectangular Coordinate System	5,9,19,21,23,25,29,35,39	332
5.2	Graphing Linear Equations	1,3,5,13,15,17,21,23,25,27,29,33	343
5.3	Slope	1,3,9,11,17,19,25,29,33,37,41,47,51,55	356
5.4	Write the Equation of a Line	1,3,9,11,21,23,27,31,33,37	363
5.5	Graph Inequalities	3,5,9,13,15,17	367
5.6	Functions	5,7,11,15,19,23,29,31,33,35,39,41	377
		Chapter Organizer, Review	382-390
	Chapter 6 Systems of Equations		
6.1	Chapter 6 Systems of Equations Solving Equations With Two Variables; Graphing	1,3,7,11,19,21,25	406
6.1	Solving Equations With Two Variables; Graphing	1,3,7,11,19,21,25 1,5,9,11,29,35	406 413
6.2	Solving Equations With Two Variables; Graphing Solving Equations With Two Variables: Substitution		
6.2 6.3	Solving Equations With Two Variables; Graphing Solving Equations With Two Variables: Substitution Solving Equations With Two Variables: Elimination	1,5,9,11,29,35	413
6.2	Solving Equations With Two Variables; Graphing Solving Equations With Two Variables: Substitution	1,5,9,11,29,35 5,13,15,27,33,39	413 420

Pacing Schedule (tentative)

Wk	Dates	Tuesday	Thursday
1		Intro, R.1,R.2	R.3,R.4,R.5,R.6
	Sept 5,7		
2	Sept 12,14	R.3,R.4,R.5,R.6	1.1-1.3
			Assignment #1 due
	Sept 19,21	1.4,1.5	Test #1
3		Fee deadline (Sept 20)	(R,1-R.6 no calculators)
			1.6
4	Sept 26,28	1.7,1.8,1.9	2.1, 2.2,2.3
	Oct 3,7	2.4, 2.5	2.6 , Compound Inequalities
5	000 3,7	2.1, 2.3	(handout)
	Oct 10,14	Compound Inequalities	3.1,3.2-3.6
6	00010,11	Compound moquanties	Assignment #2 due
	Oct 17,19	3.2-3.6	Test #2
7	000 17,17	3.2 3.0	(1.1-1.9,2.1-2.6)
•			(111 113,211 210)
0	Oct 24,26	4.1, 4.2	Rational Exponents
8			(handout), 4.3
9	Oct 31, Nov 2	4.4,4.5	4.6, 5.1
9			Assignment #3 due
	Nov 7,9	5.2, 5.3	Test #3
10		Withdrawal deadline (Nov 8)	(3.1-3.6, 4.1-4.6)
	Nov 14,16	5.4, 5.5	5.6
11	1107 14,10	3.4, 3.3	3.0
10	Nov 21,23	6.1,6.2	6.3,6.4
12			
	Nov 28,30	6.5	Test #4
13		Assignment #4 due	(5.1-5.6, 6.1-6.5)
	Dec 5,7	Exam Review	Exam Review
14	Dec 3,7	Examine view	Exam Review

## 2.6 Handout on Compound Inequalities

A compound inequality is the combination of two or more sets. When combining sets with a short list of objects, we use roster notation. For a combination of sets with inequalities, we use set-builder or interval notation.

## I Unions of Sets


The union of two sets A and B contains the elements that are in at least one set. For example, I am thinking of a number that is less than 2 or greater than 5, what are the possible solutions? We write it as  $A \cup B$ . We use the symbol  $\bigcup$  or the word 'or' to describe a union.

Eg. 1. Find  $\{3,5,8,10\} \cup \{-2,0,3,10,14\}$ 


.Eg. 2 Solve and Graph

Steps for solving and graphing a compound inequality:


- 1. Solve each equation for x
- 2. Draw each inequality on its own number line
- 3. Include all numbers on the final graph. Write the solution efficiently.
- a) x > -2 or  $x \le 4$



b)  $-x \ge 1$  or x > 3




c)  $2x-4>8 \text{ or } 5 \le -x+3$ 




## II Intersections of Sets

The intersection of two sets, A and B, is the set of all elements that are in **both** set A and set B. For example, I am thinking of a number that is less than 5 and greater than 2, what are the possible solutions? We write this as  $A \cap B$ . We use the symbol  $\bigcap$  or the word 'and' to describe an intersection.

- 1. Find  $\{3,5,8,10\} \cap \{-2,0,3,10,14\}$
- 2. Solve and graph. Same steps as before except the final graph will only have numbers that are on both lines.
- a) -3x < -6 and  $2(x+1) \ge 0$




b)  $\frac{1}{2}x-1>\frac{1}{3} \text{ and } \frac{-x+5}{2}>3$ 



Sometimes two sets have no elements in common. This is called the

## III Sandwiches


$$-2 < x \le 3$$
 means



If we add the same quantity to all three sections do we change the solution?

$$-2+1 < x+1 \le 3+1$$

Solve and graph  $5 < 9 - 2x \le 7$ 



# IV Application

Brian uses a wetsuit for temperatures between  $58^{\circ}$  and  $68^{\circ}$  Fahrenheit. What is the range for the corresponding Celsius temperatures? The equation F = 1.8C + 32 can be used to convert Celsius temperatures C to Fahrenheit temperatures F.

## **Exercises**

a) 
$$\{2,5,12,19,23\} \cup \{6,10,12,19\}$$

b) 
$$\{-7,0,3,8\} \cap \{-4,0,2,8,14\}$$

2. Solve and graph on a number line. Draw the final most efficient way of representing the solution.

a) 
$$x < -3$$
 or  $x \ge 1$ 

b) 
$$x \le -2$$
 or  $x < 4$ 

c) 
$$3x+7>19$$
 and  $7-2x \le 11$ 

d) 
$$3(x-1) > 4(x-2)$$
 or  $\frac{x+4}{3} \ge 2$ 

e) 
$$-4 > x$$
 and  $-3x \le 6$ 


f) 
$$-9 \le 2x - 5 \le 5$$


3. For an aerobic workout, a 20 year old woman wants to keep her heart rate between 150 and 170 beats per minute. If she checks her pulse for a 10 second interval, how many beats should it fall between? Express as an inequality.


## Answers

**1a)** {2,5,6,10,12,19,23} **b)** {0,8}

2 a) 
$$x \le -2$$
 or  $x < 4$   $-5$   $-4$   $-3$   $-2$   $-1$  0 1 2 3 4 5







## **Rational (Fractional) Exponents Handout**

## Section 1 – Understanding and defining $a^{1/2}$

When we assign meaning to the expression,  $a^{\frac{1}{2}}$ , our guiding principle will be to make sure that our interpretation is consistent with the known rules of exponents. For example:  $9^2 \cdot 9^3 = (9 \cdot 9) \cdot (9 \cdot 9 \cdot 9) = 9^5$  This is the sum rule for exponents, that is:

 $9^2 \cdot 9^3 = 9^{2+3} = 9^5$  If we want to give meaning to  $9^{\frac{1}{2}}$ , then by the sum rule for exponents we have  $9^{\frac{1}{2}} \cdot 9^{\frac{1}{2}} = 9^{\frac{1}{2} + \frac{1}{2}} = 9^1 = 9$ Therefore,  $9^{\frac{1}{2}}$  is the number that if you multiply it by itself gives 9. So it makes sense to define  $9^{\frac{1}{2}} = 3$  since  $3 \cdot 3 = 9$ . We already know that  $\sqrt{9} = 3$ , so it also makes sense that:  $9^{\frac{1}{2}} = \sqrt{9}$ . We know that the square root of a negative number is not a real number (no number multiplied by itself can give a negative answer), so  $a^{\frac{1}{2}}$  will not be a real number if a is negative. Therefore for all positive real numbers a, we have:  $a^{1/2} = \sqrt{a}$ 

**Examples:** Evaluate the following if possible: a)  $49^{\frac{1}{2}}$  b)  $(-25)^{\frac{1}{2}}$ 

- a)  $49^{\frac{1}{2}}$  is the number that if you multiply it by itself gives 49 . Since  $7 \cdot 7 = 49$ , we have  $49^{\frac{1}{2}} = 7$  or  $49^{\frac{1}{2}} = \sqrt{49} = 7$
- b) There is no real number that you can multiply by itself to give -25, so  $(-25)^{\frac{1}{2}}$  is not a real number.

**Exercises:** Evaluate the following if possible.

- $2.100^{\frac{1}{2}}$
- 3.  $\left(\frac{1}{16}\right)^{1/2}$  4.  $(-9)^{1/2}$  5.  $\left(\frac{64}{25}\right)^{1/2}$

## Section 2 – Understanding and defining $a^{1/3}$

Using the same reasoning that we applied in Section 1, we have:  $8^{\frac{1}{3}} \cdot 8^{\frac{1}{3}} \cdot 8^{\frac{1}{3}} = 8^{\frac{1}{3} + \frac{1}{3} + \frac{1}{3}} = 8^1 = 8$ . That is,  $8^{\frac{1}{3}}$  is the number that you multiply 3 times to give 8. We know that:  $2 \cdot 2 \cdot 2 = 8$ . Therefore  $8^{\frac{1}{3}} = 2$  We also know that the cube root of 8 is 2 , that is  $\sqrt[3]{8} = 2$ , so  $8^{\frac{1}{3}} = \sqrt[3]{8}$ . Unlike square roots, it is possible to take the cube root of a negative number, so  $\sqrt[3]{-64} = -4$ since  $(-4)\cdot(-4)\cdot(-4)=-64$ . So,  $(-64)^{\frac{1}{3}}=-4$ . Therefore for all real numbers a, we have:  $a^{\frac{1}{3}}=\sqrt[3]{a}$ 

**Examples:** Evaluate the following if possible: a)  $125^{\frac{1}{3}}$  b)  $(-216)^{\frac{1}{3}}$ 

a)  $125^{\frac{1}{3}}$  is the number you multiply 3 times to give 125. Since  $5 \cdot 5 \cdot 5 = 125$ , we have  $125^{\frac{1}{3}} = 5$  or  $125^{\frac{1}{3}} = \sqrt[3]{125} = 5$ b)  $(-216)^{\frac{1}{3}}$  is the number you multiply 3 times to give -216. Since (-6)(-6)(-6) = -216, we have  $(-216)^{\frac{1}{3}} = -6$ or  $(-216)^{\frac{1}{3}} = \sqrt[3]{(-216)} = -6$ 

**Exercises:** Evaluate the following if possible:

- $6 \ 27^{\frac{1}{3}}$
- 7.  $(1000)^{\frac{1}{3}}$
- 8.  $(-8)^{\frac{1}{3}}$  9.  $(\frac{1}{64})^{\frac{1}{3}}$  10.  $(\frac{8}{27})^{\frac{1}{3}}$

# Section 3 – Understanding and defining $a^{1/n}$

Taking the same approach as above, it seems obvious that  $625^{1/4}$  should be the number that when multiplied four times gives 625. Since  $5\cdot 5\cdot 5\cdot 5=625$  we must have:  $625^{\frac{1}{4}}=\sqrt[4]{625}=5$ . In general, for a real number a we define:  $a^{\frac{1}{2}}=\sqrt[n]{a}$  The only exception to this is when a is negative and n is even. In this case  $a^{\frac{1}{n}}$  is undefined (not a real number). For example:  $(-16)^{\frac{1}{4}} = \sqrt[4]{-16}$  is undefined, since there is no real number that multiplies itself 4 times to give an answer of -16. However, if nis odd we get  $(-32)^{\frac{1}{5}} = \sqrt[5]{(-32)} = -2$ , since -2 multiplied by itself 5 times gives -32.

**Examples:** Evaluate the following if possible: a)  $64^{\frac{1}{6}}$  b)  $(-243)^{\frac{1}{5}}$  c)  $(-48)^{\frac{1}{4}}$ 

- a)  $64^{\frac{1}{6}}$  is the number that when multiplied by itself six times gives 64. So  $64^{\frac{1}{6}} = \sqrt[6]{64} = 2$
- b)  $(-243)^{\frac{1}{5}}$  is the number that when multiplied by itself 5 times gives -243. So  $(-243)^{\frac{1}{5}} = \sqrt[5]{-243} = -3$

c) There is no real number that when multiplied by itself four times would give a negative answer. So,  $(-48)^{1/4}$  is not a real number.

**Exercises:** Evaluate the following if possible:

12. 
$$32^{\frac{1}{5}}$$

12. 
$$32^{\frac{1}{5}}$$
 13.  $(-10000000)^{\frac{1}{7}}$  14.  $(\frac{625}{16})^{\frac{1}{4}}$  15.  $(-256)^{\frac{1}{8}}$ 

14. 
$$\left(\frac{625}{16}\right)^{1/4}$$

## Section 4 – Understanding and defining a<sup>m/n</sup>

Now that we know how to evaluate  $a^{\frac{1}{n}}$  we will continue to use rules of exponents to determine how to interpret  $a^{\frac{m}{n}}$ . Remember the power rule of exponents that gives:  $(9^2)^4 = 9^{2 \cdot 4} = 9^8$  If we want to calculate  $9^{\frac{3}{2}}$  this same rule of exponents would give:

$$(9^{\frac{1}{2}})^3 = 9^{\frac{1}{2} \cdot 3} = 9^{\frac{3}{2}}$$
 or  $(9^3)^{\frac{1}{2}} = 9^{3 \cdot \frac{1}{2}} = 9^{\frac{3}{2}}$ . So, we have two ways to evaluate  $9^{\frac{3}{2}}$ , either:

$$9^{\frac{3}{2}} = (9^{\frac{1}{2}})^3 = (\sqrt{9})^3 = (3)^3 = 27$$

$$9^{\frac{3}{2}} = (9^{\frac{1}{2}})^3 = (\sqrt{9})^3 = (3)^3 = 27$$
 or  $9^{\frac{3}{2}} = (9^3)^{\frac{1}{2}} = (729)^{\frac{1}{2}} = \sqrt{729} = 27$ 

Note that although both interpretations are valid, the first is often simpler when working numerical answers without a calculator. So in general for a real number a we have:  $a^{m/n} = (a^{1/n})^m = (\sqrt[n]{a})^m$  or  $a^{m/n} = (a^m)^{1/n} = \sqrt[n]{a^m}$ 

As before if a is negative and n is even  $a^{\frac{m}{n}}$  will not be a real number.

**Examples:** Evaluate the following if possible: a)  $16^{\frac{3}{4}}$  b)  $125^{\frac{4}{3}}$  c)  $(-49)^{\frac{5}{2}}$ 

a) 
$$16^{\frac{3}{4}} = (\sqrt[4]{16})^3 = 2^3 = 8$$

a) 
$$16^{\frac{3}{4}} = (\sqrt[4]{16})^3 = 2^3 = 8$$
 b)  $125^{\frac{4}{3}} = (\sqrt[3]{125})^4 = 5^4 = 625$ 

c) 
$$(-49)^{\frac{5}{2}}$$
 is not a real number

**Exercises:** Evaluate the following if possible, use your calculator for Question 21.

16. 
$$8^{\frac{5}{3}}$$
 17.  $81^{\frac{5}{4}}$  18.  $(-100000)^{\frac{2}{5}}$  19.  $(\frac{16}{9})^{\frac{3}{2}}$  20.  $(-25)^{\frac{5}{6}}$  21.  $(-9)^{\frac{5}{3}}$ 

19. 
$$\left(\frac{16}{9}\right)^{3/2}$$

20. 
$$(-25)^{\frac{5}{6}}$$

21. 
$$(-9)^{\frac{5}{3}}$$

## Section 5 – Negative Rational Exponents a -m/n

Lastly, we want to recall how to interpret negative exponents. In keeping with the rules of exponents, we have

$$9^{-2} \cdot 9^2 = 9^{-2+2} = 9^0 = 1$$
 therefore  $9^{-2} = \frac{1}{9^2} = \frac{1}{81}$ 

This holds true for rational exponents as well, so we would have:

$$27^{-\frac{5}{3}} = \frac{1}{27^{\frac{5}{3}}} = \frac{1}{(\sqrt[3]{27})^5} = \frac{1}{3^5} = \frac{1}{243}$$

**Exercises:** Evaluate the following if possible:

22. 
$$36^{-\frac{3}{2}}$$

23. 
$$64^{-\frac{2}{3}}$$

22. 
$$36^{-\frac{3}{2}}$$
 23.  $64^{-\frac{2}{3}}$  24.  $(-8)^{-\frac{4}{3}}$  25.  $(-4)^{-\frac{7}{4}}$  26.  $(\frac{16}{81})^{-\frac{3}{4}}$ 

25. 
$$(-4)^{-\frac{7}{2}}$$

26. 
$$\left(\frac{16}{81}\right)^{-\frac{3}{4}}$$

#### **Answers:**

3. 
$$\frac{1}{2}$$

2. 10 3. 
$$\frac{1}{4}$$
 4. not real 5.  $\frac{8}{5}$ 

5. 
$$\frac{8}{5}$$

7. 10 8. 
$$-2$$
 9.  $\frac{1}{4}$  10.  $\frac{2}{3}$ 

$$8. -2$$

9. 
$$\frac{1}{4}$$

10. 
$$\frac{2}{3}$$

13. 
$$-10$$
 14.  $\frac{5}{2}$  15. not real 16. 32 17. 243 18. 100

19. 
$$\frac{64}{27}$$

19. 
$$\frac{64}{27}$$
 20. not real 21. -38.94 22.  $\frac{1}{216}$  23.  $\frac{1}{16}$  24.  $\frac{1}{16}$ 

24. 
$$\frac{1}{16}$$

25. not real 26. 
$$\frac{27}{8}$$

$$\frac{27}{8}$$