CAMOSUN COLLEGE

Department of Electronics

ECET 165

Embedded Microcontrollers

ECET 165 Embedded Microcontrollers

Hours: 3/3/0

Prerequisites: ECET 130 Engineering Applications in C, ECET 161 Digital Electronics 1

Short description:

Students will learn to program microcontrollers in both assembly and C programming languages and practice simulation and code development techniques in an embedded environment. They will investigate a variety of peripherals and interface standards. Students will design complete interfaces for LCDs, matrix keyboards and other hardware in the laboratory.

Learning outcomes:

Upon successful completion of this course a student will be able to:

- follow prescribed safety procedures appropriate to an electronics laboratory;
- describe the architecture of a microcontroller;
- program a microcontroller using assembly and C programming languages;
- design, compile and debug a microcontroller program in an integrated development environment (IDE);
- create programs to control hardware devices;
- write an interrupt service routine;
- use a microcontroller to control hardware peripherals;
- design, test, debug and emulate programs for embedded systems.

Course outline:

hours

3.	Asse	5 hours	
	3.1	Accumulator and registers	
	3.2	Data movement	
	3.3	Bit manipulation	
	3.4	Arithmetic	
	3.5	Conditional branching	
4.	MPI	AB integrated development environment (IDE)	3 hours
	4.1	Editor	
	4.2	Assembler	
	4.3	Compiler	
	4.4	Linker	
	4.5	Programmer	
	4.6	Simulator	
5.	Simp	5 hours	
	5.1	Switch debouncing	
	5.2	LED counter	
	5.3	LCD display	
	5.4	Matrix keypads	
6.	Intro	oduction to MPLAB compiler	1 hour
	6.1	Overview	
	6.2	Installation	
	6.3	Integrating with MPLAB IDE	
7.	Interrupt handling		3 hours
	7.1	Interrupt logic	
	7.2	Interrupt service routines	
	7.3	Interrupt constraints	
8.	Haro	dware peripherals	12 hours
	8.1	Timers	
	8.2	Interrupts	
	8.3	Interfacing LCDs	
	8.4	Interfacing keypads	
	8.5	Implementing analog-to-digital converters ¹	
	8.6	Serial communications and interfacing	
		8.6.1 RS-232	
		8.6.2 RS-485	
	8.7	I ² C embedded serial computer bus	

9.2 Writing secure code 9.3 In-circuit emulation (ICE) and component emulation

Design and testing methodology

Developing code for embedded systems

- 9.4 Hexadecimal file formats and loaders
- 9.5 Embedded system testing and debugging

Tests and review

9.1

Total

9.

6 hours 42 hours

Labs:

- 1. The MPLAB programming environment
- 2.
- 3. Switching an LED on and off with PIC 18F4685
- 4. Switch counter
- 5. The MPLAB C18 compiler and LCD display control
- 6. Switch control of LCD
- 7. Porting the LCD library and testing the LCD
- 8. Matrix keyboard
- 9. Real time clock 1
- 10. Real time clock 2
- 11. Serial port interface
- 12.
- 13.

3 hours

Textbooks: None. However see hardware requirements.

Hardware Requred: In lieu of a text, all students are required to purchase a development board and LCD display/ interface unit. This combination will give you a unit equivalent if not superior to a PICDEM 2 board.

A flash drive is highly recommended.

Reference:	Instructor Handouts
	Various Microchip Documents

Evaluation

Mid Term	20 %	Grading is in accordance with College policy.
Final Exam	30%	
Labs	40%	
Quizes	10%	

Note: Plagiarism will not be tolerated no matter from what source. The penalty for plagiarism will be a grade of F in the course. Any code downloaded from websites etc, must be correctly credited. When asked to write your own code, do not share it with others. You can certainly exchange ideas but try not to show your code. This could lead to code that looks like others. One very important point, make sure you delete any of your code that was saved to the hard drive or network share otherwise someone else might copy it!

Note: It is your responsibility to ensure that <u>all</u> work is <u>backed-up</u>. Loss of data will not be accepted as an excuse for late assignments. Late penalties of 50% will be applied at the instructor's discretion.